

アイアンプラス

鉄摂取の必要性が高い人向け



配合されたビタミンC、葉酸、ビタミンB12との相互作用で、体内で吸収され利用されやすい鉄サプリメント。鉄摂取の必要性が高い人向け。

REFERENCES:

1. Szarfarc SC, de Cassana LM, Fujimori E, et. al. Relative effectiveness of iron bis-glycinate chelate (Ferrochel) and ferrous sulfate in the control of iron deficiency in pregnant women. Arch Latinoam Nutr. 2001 Mar;51(1 Suppl 1):42-7.
2. Pineda O, Ashmead HD. Effectiveness of treatment of iron-deficiency anemia in infants and young children with ferrous bis-glycinate chelate. Nutrition. 2001 May;17(5):381-4.

Supplement Facts

Serving Size / 1 Tablet
Servings Per Container / 60

Amount Per Serving		% Daily Value
Vitamin C	130 mg	144%
Folate	167 mcg DFE	42%
Vitamin B12	25 mcg	1042%
Iron	15 mg	83%

INGREDIENTS: Calcium Carbonate, Vitamin C (L-Ascorbic Acid), Ferrous Glycinate (Ferrous Bis-Glycinate, Citric Acid, Maltodextrin), Microcrystalline Cellulose, Croscarmellose Sodium, PhytoZyme® proprietary blend (Bromelain, Papain, Alfalfa, Parsley, and vegetable and fruit concentrates from Carrots, Broccoli, Pea, Banana, Cantaloupe, Lima Beans, Mango, Pumpkin, Spinach, Tomato, Cauliflower, Orange, Papaya, Sweet Potato, Asparagus, Beet, Green Bean, Snow Pea, Blueberry, Chili Pepper, Cranberry, Cucumber, Guava, Grapefruit, Kale, Lemon, Maitake Mushroom, Peach, Pineapple, Watercress, and Zucchini), Stearic Acid, Magnesium Stearate, Silica, Calcium L-Methylfolate, and Vitamin B12 (Cyanocobalamin).

US.SF2.MOD 3A

妊娠中もしくは妊娠を希望している方、授乳中の方、医者による治療を受けている方、処方箋を服用されている方は、本品をご利用になる前に必ず担当医にご相談ください。

警告：6才未満の小児に生じる致命的な中毒症の主因として、鉄分を含有する製品の過剰摂取事故が知られています。本品はお子様の手の届かないところに保管してください。万が一誤って本品を過剰摂取した場合は、ただちに医師の診察を受けるか、救急その他中毒症状に対応できる施設に連絡してください。

アレルギー関連情報：本品の取り扱い施設では、魚/甲殻類、大豆、乳製品を含む製品も製造されています。

本品による動物実験は行っておりません。

ベジタリアンの方にも最適。

使用方法：1日1粒ご使用の後は、容器をしっかりと閉めてください。

◇これらの記述内容についてはアメリカ合衆国FDA(食品および薬品管理局)の評価を受けておりません。本品はいかなる病気に対しても、その診断、治療、予防を目的としたものではありません。

Lifeplus International • P.O. Box 3749, Batesville, Arkansas 72503 • 800-572-8446 • www.lifeplus.com

この文書はアメリカ合衆国内で使用・配布することを前提として作成されています。